

Process Certificate Asbestos Removal 07-C070250

Struijk Milieu B.V.

<i>Adress:</i>	Noord 77 2931 SJ KRIMPEN AAN DE LEK	<i>Issue date:</i>	27-02-2020
<i>Telephone no:</i>	+31180-514822	<i>Expiry date:</i>	27-02-2023
<i>Contact person:</i>	Dhr. A. Struijk	<i>Date of first issue:</i>	06-06-2011
		<i>Trade register no:</i>	29028243
		<i>E-mail :</i>	info@struijk.nl

Certification

This process certificate is based on the Certificatieschema voor de Procescertificaten Asbestinventarisatie en Asbestverwijdering als bedoeld in de artikelen 4.27 en 4.28 van de Arbeidsomstandighedenregeling ("Certificatieschema") and in accordance with the certification rules issued by Normec Certification B.V.

Normec Certification B.V. certifies that it has the legitimate expectation that the process of removing asbestos, asbestos-containing products, and asbestos-contaminated materials or asbestos-contaminated construction elements prior to the demolition, renovation or maintenance of buildings and structures, and after incidents, including completion of the asbestos removal work, resulting in a location that is free of secondary asbestos fibre exposure sources, will be carried out in accordance with the relevant requirements set out in the Certificatieschema.

Suggestions for the contractor/client

1. The certificate holder:
 - a. will continue to meet the relevant requirements of the Certificatieschema during the term of the process certificate;
 - b. will lend its assistance to any reviews conducted by the certification agency;
 - c. will return a process certificate that has been rendered invalid to the certification agency within 14 days of a signed request to that effect; and
 - d. will notify the certification agency of any changes as referred to in Clause 4(2) of the Certificatieschema.

For Normec Certification B.V.

A.E. Werkmeester



For the validity of this process certificate, see the SCA Certificates Register at www.ascert.nl.

Certification agency:	Normec Certification B.V.	Certificateno:	07-C070250
Designation decision:	ARBO/P&G/08/14505	SCA-code:	07-C070250.01